



Thermal and Chemical Characterization of Composite Materials

(MSFC Center Director's Discretionary Fund Final Report,
Project No. ED36–18)

D.C. Stanley and T.L. Huff

Marshall Space Flight Center, Marshall Space Flight Center, Alabama



The NASA STI Program Office...in Profile

Since its founding, NASA has been dedicated to the advancement of aeronautics and space science. The NASA Scientific and Technical Information (STI) Program Office plays a key part in helping NASA maintain this important role.

The NASA STI Program Office is operated by Langley Research Center, the lead center for NASA's scientific and technical information. The NASA STI Program Office provides access to the NASA STI Database, the largest collection of aeronautical and space science STI in the world. The Program Office is also NASA's institutional mechanism for disseminating the results of its research and development activities. These results are published by NASA in the NASA STI Report Series, which includes the following report types:

- **TECHNICAL PUBLICATION.** Reports of completed research or a major significant phase of research that present the results of NASA programs and include extensive data or theoretical analysis. Includes compilations of significant scientific and technical data and information deemed to be of continuing reference value. NASA's counterpart of peer-reviewed formal professional papers but has less stringent limitations on manuscript length and extent of graphic presentations.
- **TECHNICAL MEMORANDUM.** Scientific and technical findings that are preliminary or of specialized interest, e.g., quick release reports, working papers, and bibliographies that contain minimal annotation. Does not contain extensive analysis.
- **CONTRACTOR REPORT.** Scientific and technical findings by NASA-sponsored contractors and grantees.

- **CONFERENCE PUBLICATION.** Collected papers from scientific and technical conferences, symposia, seminars, or other meetings sponsored or cosponsored by NASA.
- **SPECIAL PUBLICATION.** Scientific, technical, or historical information from NASA programs, projects, and mission, often concerned with subjects having substantial public interest.
- **TECHNICAL TRANSLATION.** English-language translations of foreign scientific and technical material pertinent to NASA's mission.

Specialized services that complement the STI Program Office's diverse offerings include creating custom thesauri, building customized databases, organizing and publishing research results...even providing videos.

For more information about the NASA STI Program Office, see the following:

- Access the NASA STI Program Home Page at <http://www.sti.nasa.gov>
- E-mail your question via the Internet to help@sti.nasa.gov
- Fax your question to the NASA Access Help Desk at (301) 621-0134
- Telephone the NASA Access Help Desk at (301) 621-0390
- Write to:
NASA Access Help Desk
NASA Center for AeroSpace Information
7121 Standard Drive
Hanover, MD 21076-1320
(301)621-0390



Thermal and Chemical Characterization of Composite Materials

**(MSFC Center Director's Discretionary Fund Final Report,
Project No. ED36–18)**

D.C. Stanley and T.L. Huff

Marshall Space Flight Center, Marshall Space Flight Center, Alabama

National Aeronautics and
Space Administration

Marshall Space Flight Center • MSFC, Alabama 35812

TRADEMARKS

Trade names and trademarks are used in this report for identification only. This usage does not constitute an official endorsement, either expressed or implied, by the National Aeronautics and Space Administration.

Available from:

NASA Center for AeroSpace Information
7121 Standard Drive
Hanover, MD 21076-1320
(301) 621-0390

National Technical Information Service
5285 Port Royal Road
Springfield, VA 22161
(703) 487-4650

TABLE OF CONTENTS

1. PURPOSE	1
2. BACKGROUND	2
3. APPROACH	3
4. ACCOMPLISHMENTS	6
5. PLANNED FUTURE WORK	7

LIST OF FIGURES

1.	FTIR spectrometer spectrum of NCFI foam	3
2.	DSC curve of NCFI foam	4
3.	DTA curve of NCFI foam	4
4.	TGA/FTIR spectrometer curve of NCFI foam	5

LIST OF ACRONYMS

DSC	differential scanning calorimeter
DTA	differential thermal analyzer
FTIR	Fourier transform infrared (spectroscopy)
MSFC	Marshall Space Flight Center
NCFI	North Carolina Foam Industries
TGA	thermogravimetric analyzer

TECHNICAL MEMORANDUM

THERMAL AND CHEMICAL CHARACTERIZATION OF COMPOSITE MATERIALS (MSFC Center Director's Discretionary Fund Final Report, Project No. ED36-18)

1. PURPOSE

The purpose of this research effort was to (1) provide a concise and well-defined property profile of current and developing composite materials using thermal and chemical characterization techniques and (2) optimize analytical testing requirements of materials.

This effort applied a diverse array of methodologies to ascertain composite material properties. Often, a single method or technique will provide useful, but nonetheless incomplete, information on material composition and/or behavior. To more completely understand and predict material properties, a broad-based analytical approach is required. By developing a database of information comprised of both thermal and chemical properties, material behavior under varying conditions may be better understood. This is even more important in the aerospace community, where new composite materials and those in the development stage have little reference data. For example, Fourier transform infrared (FTIR) spectroscopy spectral databases available for identification of vapor phase spectra, such as those generated during experiments, generally refer to well-defined chemical compounds. Because this method renders a unique thermal decomposition spectral pattern, even larger, more diverse databases, such as those found in solid and liquid phase FTIR spectroscopy libraries, cannot be used. By combining this and other available methodologies, a database specifically for new materials and materials being developed at Marshall Space Flight Center (MSFC) can be generated. In addition, characterizing materials using this approach will be extremely useful in the verification of materials and identification of anomalies in NASA-wide investigations.

2. BACKGROUND

Past efforts have primarily focused on the chemical structure of materials using FTIR spectroscopy techniques. A users library was established in 1997 and contains the chemical identification of some composites, polymers, ceramics, plastics, and rubber. MSFC is involved in the development of innovative hardware, which increasingly incorporates composites, polymers, ceramics, and other organic compounds. However, databases and characterization of these compounds are limited.

In addition, the bomb calorimeter, thermogravimetric analyzer (TGA)/FTIR spectrometer, differential thermal analyzer (DTA), differential scanning calorimeter (DSC), and stand-alone TGA have been utilized to characterize materials. However, the materials were characterized using only one of the instruments. No data were obtained for one material from all six of the listed instruments.

Programmatic support using the methodologies described above have included FASTRAC (MCC-1), X-33, VCD Flight Experiment, Space Shuttle, Space Station, BUNDLE, and Aerogel.

Efforts in the Chemistry Group focused primarily on material chemical composition using FTIR and TGA/FTIR spectroscopy methodologies. Use of the TGA in tandem with the FTIR spectrometer allows for the qualitative and quantitative determination of gaseous combustion products evolved from nonmetallic materials during heating. Thus, not only are the thermal properties of a material examined but the specific chemical species evolved during the thermal decomposition are identified. Using this technique, diverse organic species have recently been analyzed, including composites, plastics, rubber, fiberglass epoxy resins, polycarbonates, silicones, and fluorocarbons.

The TGA is used for nonmetallic material thermal decomposition studies, and when coupled with the FTIR spectrometer, provide chemical characterization of the evolving gases. The DTA and DSC provide melting point data for metallic and nonmetallic materials, while the DSC provides increased sensitivity for the study of other thermal properties, including heat of fusion and glass transition properties.

3. APPROACH

The approach taken includes the following three steps:

- (1) Select materials for analysis—sample types include various epoxy resins, polyurethane foams, and thermosetting materials, including rubber.
- (2) Develop a material matrix using existing thermal and chemical instrumentation in the Chemistry Branch.
- (3) Analyze materials utilizing thermal analysis systems consisting of DSC, DTA, and TGA. In addition, the use of bomb calorimetry will be employed to measure material heat of combustion properties. Chemical characterization was achieved using the FTIR spectrometer alone and in combination with the TGA.

Figures 1–4 depict the curves obtained from the FTIR spectrometer, DSC, DTA, and TGA/FTIR spectrometer for one of the materials analyzed—North Carolina Foam Industries (NCFI) foam.




Figure 1. FTIR spectrometer spectrum of NCFI foam.




Figure 2. DSC curve of NCFI foam.




Figure 3. DTA curve of NCFI foam.




Figure 4. TGA/FTIR spectrometer curve of NCFI foam.

4. ACCOMPLISHMENTS

Results of this research include the development of a comprehensive fingerprint database of composite material behavior under varying conditions of thermal stress. Data include chemical structure characterization, isothermal behavior (crystallization or curing), phase transitions, decomposition (weight loss), heat capacitance, and oxidizing behavior.

The following materials were analyzed for this research effort:

- NCFI foam
- NCFI foam components A and B
- Furon
- TEFZEL®
- Lexan®
- Carbon epoxy fiberglass
- Varglass silicon
- Aluminum alloys
- Aluminum-silicon alloys
- Carbon-graphite seals.

By evaluating the various analytical methods on differing classes of materials, optimization of analytical testing requirements for specific material types was achieved. Based on this research, the order of thermal testing was refined to allow determination of starting temperatures for the thermal analysis tests. It was determined that it is beneficial to analyze nonmetallic materials utilizing the TGA/FTIR spectrometer followed by the DSC or DTA. Based on the decomposition temperatures of the material obtained by the TGA, inferences may be made regarding other thermal properties of the material, including appropriate methodologies. For instance, low decomposition temperatures would suggest equally low or lower temperatures for other thermal properties, such as melting point, heat of fusion, glass transitions, etc. Thus, the DSC, which can operate at subambient temperatures, would make it a more suitable choice for additional analysis. Conversely, the DTA can operate at a much higher temperature than the DSC, suggesting its use when TGA data indicate high-temperature material properties. Other factors must also be weighed for any sample evaluation, including any specific test data objectives sought. For example, if specific heat data are specified, the DSC would be the preferential methodology employed due to its increased sensitivity in heat energy measurements. If chemical characterization is also a requirement, FTIR and/or TGA/FTIR spectroscopy would be appropriate. Nonetheless, based on the starting temperature information garnered from the TGA, the engineer can adequately determine which test(s) is best suited to provide additional material data.

5. PLANNED FUTURE WORK

The investigators will continue to characterize materials received for analysis using the above instrumentation. The investigators will also post the data obtained from this research on the Internet; the site layout has been developed.

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operation and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503				
1. AGENCY USE ONLY (Leave Blank)		2. REPORT DATE December 2003		3. REPORT TYPE AND DATES COVERED Technical Memorandum
4. TITLE AND SUBTITLE Thermal and Chemical Characterization of Composite Materials (MSFC Center Director's Discretionary Fund Final Report, Project No. ED36-18)			5. FUNDING NUMBERS	
6. AUTHORS D.C. Stanley and T.L. Huff				
7. PERFORMING ORGANIZATION NAMES(S) AND ADDRESS(ES) George C. Marshall Space Flight Center Marshall Space Flight Center, AL 35812			8. PERFORMING ORGANIZATION REPORT NUMBER M-1099	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) National Aeronautics and Space Administration Washington, DC 20546-0001			10. SPONSORING/MONITORING AGENCY REPORT NUMBER NASA/TM-2003-212934	
11. SUPPLEMENTARY NOTES Prepared by the Materials, Processes, and Manufacturing Department, Engineering Directorate				
12a. DISTRIBUTION/AVAILABILITY STATEMENT Unclassified-Unlimited Subject Category 23 Availability: NASA CASI (301)621-0390			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) The purpose of this research effort was to (1) provide a concise and well-defined property profile of current and developing composite materials using thermal and chemical characterization techniques and (2) optimize analytical testing requirements of materials. This effort applied a diverse array of methodologies to ascertain composite material properties. Often, a single method or technique will provide useful, but nonetheless incomplete, information on material composition and/or behavior. To more completely understand and predict material properties, a broad-based analytical approach is required. By developing a database of information comprised of both thermal and chemical properties, material behavior under varying conditions may be better understood. This is even more important in the aerospace community, where new composite materials and those in the development stage have little reference data. For example, Fourier transform infrared (FTIR) spectroscopy spectral databases available for identification of vapor phase spectra, such as those generated during experiments, generally refer to well-defined chemical compounds. Because this method renders a unique thermal decomposition spectral pattern, even larger, more diverse databases, such as those found in solid and liquid phase FTIR spectroscopy libraries, cannot be used. By combining this and other available methodologies, a database specifically for new materials and materials being developed at Marshall Space Flight Center can be generated. In addition, characterizing materials using this approach will be extremely useful in the verification of materials and identification of anomalies in NASA-wide investigations.				
14. SUBJECT TERMS thermal, chemical, characterization, composite, materials, Fourier, transform, infrared, spectroscopy			15. NUMBER OF PAGES 16	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT Unlimited	